



## PRODUCT COMPLIANCE SCHEDULE

### JV PARTNERSHIP (LP)

ABN 28 375 211 909

Trading as;

## TOUGH GLASS

COMPANY ADDRESS:

**16 Prestige Parade, Wangara, WA 6065, Australia.**

This schedule identifies the Certified Product(s) on which the PAS-Mark and ID. Number may be used.

### **AS/NZS 2208:1996 Safety glazing materials in buildings** (Including Amendment 1)

<b>Product Description</b>	Coated Glass, Float and Patterned Laminated Safety Glazing Materials. Includes Toughened & Heat Strengthened Laminated Safety Glazing Materials.
<b>Classification</b>	Grade "A"
<b>Nominal Glass Thickness</b>	6.38mm to 16.38mm Float & Pattern Glass 6.76mm to 16.76mm Float & Pattern Glass
<b>Non-standard Glass Thickness</b>	Up to 52mm laminated safety glazing
<b>Maximum Glass Size</b>	Glass Dimensions: 2400mm (W) x 5000mm (L)
<b>Glass Colours</b>	Acid Etch, Blue, Bronze, Clear, Green, Grey.
<b>Glass Patterns</b>	Cathedral, Gluechip, Roughcast, Satinlite, Seadrift, Spotswood, Strata, and Tandarra.
<b>PVB EVA SENTRYGLAS</b>	0.38mm to 3.04mm Clear & Tinted Interlayer 0.38 to 2.28mm Clear & Tinted Interlayer 0.76mm – 3.04mm Clear & Tinted Interlayer

*This schedule supersedes any previously issued schedule.*

**Assessment ID No:** CSI-7164

**Certification date:** 25 June 2018

**Issue date:** 26 June 2018

**Expiry date:** 06 June 2019

**Schedule No:** CSI-ID 7164–2018-06-S2-Rev1

  
Azma Khan  
Managing Director  
Certification Solutions  
International Pty Ltd



The current validity of this document should be checked by contacting [admin@csi-certification.com](mailto:admin@csi-certification.com) PASF\_015 11R2