



PRODUCT COMPLIANCE SCHEDULE

GLASS MAKERS PTY LTD
ABN 94 638 078 136

Trading as.

TOUGH GLASS

COMPANY ADDRESS:
16 Prestige Parade, Wangara, WA 6065, Australia.

This schedule identifies the Certified Product(s) on which the PAS-Mark and CSi Licence Number may be used.

AS/NZS 4666:2012 Insulating glazing units

+ Amendment No1:2018

Type Testing conducted in compliance with:
EN 1279-2:2018 - EN 1279-4:2018 - Glass in building – Insulating glass unit

Types of substrates:	Annealed, Heat Treated, Coated, Patterned, Laminated, Low E Hard Coated, Low E Soft Coated. Any combination of the above substrates.
Types of sealants:	Primary: Quanex Secondary: Bostik 6000 Hot Melt Butyl, Butylene.
Spacer bar description:	Quanex – Edgetech Super Spacer Premium, Flexible Silicone Foam, Colour: black.
Spacer bar width:	4mm, 6mm, 8mm, 10mm, 12mm, 14mm, 16mm, 18mm and 20mm.
Desiccant:	Quanex, 3A Molecular Sieve (Zeolite).
Standard Moisture Adsorption Capacity:	19%
IGU Void fill:	Argon Filled.
Construction components & Fabrication technique:	Mechanical application by hand or automated machine, bent corner continuous strip with Mylar tape applied at join.
Long Term Test Report Number:	Azuma Design Pty Ltd, Report No: AZT0242.20A. Dated: 30 September 2020
Next Long-Term Test Report Due:	Before 30 September 2022

This schedule supersedes any previously issued schedule.

CSi Licence Number: 7164
Certification Issue Date: 20 May 2022
Certification Expiry Date: 06 June 2027
CSi Certificate Number: CSi Lic No. 7164 – 2022 – 05 – S6-R0

Certification Review Date: 18 May 2022
Next Annual Review Date: 06 June 2023
CSi Database ID Number: 1000107


Azma Khan
Managing Director



www.jas-anz.org/register



The current validity of this document should be checked by contacting admin@csi-certification.com PASF_015 11R3
This document is the property of CSi and must be returned to CSi upon its request. This document may only be reproduced in its entirety.